

# Office of The Williams County Engineer

Todd J. Roth, P.E., P.S.

troth@wmscoengineer.com

## ADDENDUM NO. 1

Date of Addendum: March 24, 2020

2020 NORLICK DRIVE - Norlick Place Subdivision  
Project #4-2020

Bid Date: Revised This Addendum, April 2, 2020

TO ALL BIDDERS:

**Special Note To Bidders Bid Date Change:** As of the date and time of this Addendum the Bid Date for this project has been changed to **Thursday, April 2, 2020 at 9:00 AM**. Contractors will be allowed to accompany their bid to the hearing room on the 4<sup>th</sup> floor. Bidders may be limited to one person per firm. Body Temperatures may be checked in the first-floor entry area and persons with a fever will not be allowed beyond the security check point. Bidders should be aware this process may lengthen the time needed to get from the door to the hearing room. Allowing more time may be prudent.

Bidders should also be aware of the following changes to the bidding documents:

Within The Revised Project Manual or As A Note In This Addendum:

- Item 00130, Page 5 Intermediate Asphalt changed from Type 1 to Type 2. All intermediate Asphalt will be Type 2.
- All Concrete for Driveways and Curbs will be QC 1 – 4,000 psi.
- Bid Item 25 Sanitary Sewer. Bid forms have been revised both online and attached. Revised quantity 241 LF.
- Bid Item 25 Sanitary Sewer Backfill Clarification. 613 Backfill shall be ODOT Type 2. The pipe should be bedded as directed in the project manual or drawings. The LSM should be placed full depth from the top of the bedding to an elevation slightly below the depth of the pavement milling. The area above the trench will be milled over and graded off as part of the roadway improvements. The full depth LSM should extend from pavement edge to pavement edge with an angle of repose into the unpaved areas.

# Office of The Williams County Engineer

**Todd J. Roth, P.E., P.S.**

troth@wmscoengineer.com

- Bid Item 25 Changes have been included in the project estimate. The Revised Estimate: \$332,047.55
- Concrete collars are required on both storm and sanitary manholes in the pavement. Include the cost in Bid Item 20 for the sanitary manhole and Bid Item 21 for the storm manhole.
- Mailboxes will be temporarily relocated on the East side of Norlick Drive across from 123 Norlick Drive. Posts should be carefully placed between the existing underdrain and gas main.

The Contract Documents or Construction Drawings will include the following:

Sheet 2, Typical Section revised to call out Type 2 Intermediate Asphalt.

Sheet 9, General Summary. Sanitary Sewer increased to 241 LF


Plan holders will be advised of this Addendum and revised documents will be posted on the Williams County Engineer's Web Page at:

<http://www.wmscoengineer.com/bidprojects.asp>

Respectfully,



Todd J. Roth, P.E., P.S.  
Williams County Engineer



# WILLIAMS COUNTY OFFICIAL BID FORM

Item 00300

**Project #4-2020**  
**NORLICK PLACE SUBDIVISION**  
**NORLICK DRIVE**  
**STREET IMPROVEMENTS**  
 Williams County, Ohio

Williams County Engineer's Office  
 12953 County Road G  
 Bryan, Ohio 43506  
 419-636-2454  
 Fax 419-636-8687

**Todd J. Roth, P.E., P.S.**

email: troth@wmscoengineer.com

Bid Opening: **April 2, 2020 @ 9:00 AM**

As Revised By Addendum 1

Page 1 of 1

Bid Item	Item	Name	Unit	Quantity	Unit Price	Bid Price
<b>ROADWAY</b>						
1	201	CLEARING AND GRUBBING	LUMP	1		
2	202	CONCRETE CURB & GUTTER REMOVED	FT	2041		
3	202	CONCRETE DRIVE REMOVED	SQ YD	126		
4	202	ASPHALT DRIVE REMOVED	SQ YD	51		
5	254	PAVEMENT PLANING 4-5" LEAVE IN PLACE, GRADE, SHAPE & COMPACT	SQ YD	2481		
6	254	PAVEMENT PLANING 1.5"	SQ YD	530		
					<b>Sub-Total</b>	
<b>PAVEMENT</b>						
7	304	VARIABLE THICKNESS AGGREGATE BASE	CU YD	155		
8	407	TACK COAT	GALLON	302		
9	441	2.5" ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2M, PG64-22	CU YD	172		
10	SS823	1.5" ASPHALT CONCRETE SURFACE COURSE, TYPE 1L, PG64-22	CU YD	125		
11	452	CONCRETE DRIVE REPLACEMENT	SQ YD	126		
12	SPEC	ASPHALT DRIVE REPLACEMENT	SQ YD	51		
13	609	CONCRETE CURB & GUTTER, TYPE 2	FT	2041		
					<b>Sub-Total</b>	
<b>DRAINAGE</b>						
14	611	DRAIN REPLACEMENT, 8" OR LESS	FT	20		
15	611	DRAIN REPLACEMENT, 10" OR GREATER	FT	20		
16	611	12" CONDUIT, TYPE B	FT	39		
17	611	15" CONDUIT, TYPE B	FT	81		
18	611	3A MODIFIED CATCH BASINS, AS PER PLAN	EACH	3		
19	611	CURB INLET, ADJUSTED TO GRADE	EACH	2		
20	611	MANHOLE, ADJUSTED TO GRADE	EACH	1		
21	611	MANHOLE	EACH	1		
22	611	2-3 CATCH BASIN	EACH	1		
23	611	DRAIN CONNECTION, AS DIRECTED	EACH	4		
24	605	8" PIPE UNDERDRAIN	FT	2041		
					<b>Sub-Total</b>	

Bid Item	Item	Name	Unit	Quantity	Unit Price	Bid Price
<b>SANITARY</b>						
25	611	8" Conduit, Type B, (Using 707.45 material and 613 backfill)	FT	241		
					<b>Sub-Total</b>	
<b>EROSION CONTROL</b>						
26	SPEC	DANDY BAG	EACH	5		
27	659	SEEDING AND MULCHING	SQ YD	3402		
					<b>Sub-Total</b>	
<b>MISCELLANEOUS</b>						
28	614	TRAFFIC MAINTENANCE	LUMP	1		
29	624	MOBILIZATION	LUMP	1		
30	SPEC	PREMIUM FOR CONTRACT PERFORMANCE BOND	LUMP	1		
					<b>Sub-Total</b>	
<b>TOTAL BASE BID</b>						
<p>IT IS THE OWNERS INTENT THAT ALL WORK REQUIRED IN THE BID OR SPECIFICATIONS BE INCLUDED IN THE TOTAL BASE BID. IF AN ITEM IS REQUIRED TO COMPLETE THE WORK, BUT IS NOT SPECIFICALLY LISTED ABOVE, THE CONTRACTOR SHALL INCLUDE THE COST OF THAT ITEM IN OTHER BID ITEMS.</p>						
BIDDER: _____ SIGNATURE: _____ DATE: _____						END OF ITEM