

Office of The Williams County Engineer

Todd J. Roth, P.E., P.S.

troth@wmscoengineer.com

ADDENDUM NO. 1

Date of Addendum: February 23, 2018

County Road K and 13 Resurfacing, Project #4-2018

Bid Date: March 12, 2018

TO ALL BIDDERS:

The Following Changes Have Been Made To The Bidding Documents:

The Correct Bid Date is March 12, 2018. Some documents listed 2016

On line documents will be revised at: <http://www.wmscoengineer.com/bidprojects.asp>, and changes will be sent to plan holders via email.

Please advise this office if you have questions concerning these changes.

Thank you.

Respectfully,



Todd J. Roth, P.E., P.S.
Williams County Engineer

Office of The Williams County Engineer

Todd J. Roth, P.E., P.S.

troth@wmscoengineer.com

ADDENDUM NO. 2

Date of Addendum: March 6, 2018

County Road K and 13 Resurfacing, Project #4-2018

Bid Date: March 12, 2018

TO ALL BIDDERS:

The Following Changes Have Been Made To The Bidding Documents:

- Bid Item 8 has been further addressed in Item 00130 Supplemental Specifications of the Project Manual. The cost for Concrete Drive removal and replacement is to be included in this Bid Item.

On line documents will be revised at: <http://www.wmscoengineer.com/bidprojects.asp>, and changes will be sent to plan holders via email.

Please advise this office if you have questions concerning these changes.

Thank you.

Respectfully,



Todd J. Roth, P.E., P.S.
Williams County Engineer

Att: Item 00130 as Revised By Addendum 2

ITEM 00130
SUPPLEMENTAL SPECIFICATIONS
AS REVISED BY ADDENDUM 2

Section 1: All work shall be performed in accordance with The Ohio Department of Transportation, Construction and Material Specifications, 2016, except as modified in the contract specifications, plans, or project manual.

In matters concerning conflicts between the referenced 2016 CMS or Project Specifications, the Project Specifications, Plans, or Project Manual shall govern.

Section 2: Bid Item 8 - Concrete Drive Replacement 47 SY The Bid Price for this Item is to include both Drive Removal and Replacement. The concrete drive replacement shall consist of placing 4" of Item 304 Compacted Aggregate Base and 6" of Item 452 Plain Concrete Pavement in accordance with Item 452 of the Standard Specifications.

Section 3: The RFC Log as Posted on the Engineer's Web Page until the time of bidding will become part of the Contract Documents.

END OF ITEM